

TRANSLATION

(1) **EU-Type Examination Certificate**
according to Module B Paragraph 6.1 of PPE Regulation (EU) 2016/425

(2) Regulation of the European Parliament and of the Council of 9 March 2016 relating to personal protective equipment (PPE) - Regulation (EU) 2016/425

(3) No. of EU-Type Examination Certificate: **ZP/B096/21**

(4) Product: **Retractable type fall arrester**
Type: **ABS B-Lock**

(5) Manufacturer: **ABS Safety GmbH**

(6) Address: **Gewerbering 3, 47623 Kevelaer, GERMANY**

(7) Risk category: **III**

(8) The design and construction of this personal protective equipment and any acceptable variation thereto are specified in the appendix to this EU type-examination certificate.

(9) The certification body of DEKRA Testing and Certification GmbH, Notified Body No. 0158 according to Chapter V of Regulation (EU) 2016/425 of 9 March 2016, certifies that this personal protective equipment has been found to comply with the essential Health and Safety Requirements given in Annex II to the Regulation. The evaluation results are recorded in reports PB 21-009, PB 21-010 and PB 21-011. Other possibly applicable Union legislations applicable to the specified personal protective equipment have not been taken into account in this EU-type examination certificate.

(10) The essential Health and Safety Requirements are assured in consideration of

DIN EN 360:2002

PPE-R/11.060

PPE-R/11.084

(11) This EU type-examination certificate relates only to the design, examination and tests of the specified personal protective equipment in accordance to Regulation (EU) 2016/425. For category III personal protective equipment, this EU type-examination certificate may only be used in conjunction with one of the conformity assessment procedures referred to Article 19 (c).

(12) When applying the CE Marking according to Article 16 and 17 of Regulation (EU) 2016/425 to the products that conform to the types examined, the client is obliged to add, in accordance with the attached pattern, the identification number of the Notified Body engaged in the conformity assessment according to Module C2 or D. Furthermore, the manufacturer is obliged to issue an EU declaration of conformity in accordance with Article 15 of Regulation (EU) 2016/425 and to enclose it with the personal protective equipment, or to indicate the internet address in the manual and in the instructions in Annex II, point 1.4., at which the EU declaration of conformity can be accessed.

(13) This EU-Type Examination Certificate is valid until 2026-06-15.

DEKRA Testing and Certification GmbH
Bochum, 2021-06-16

Signed: Kilisch
Managing director

We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.


Managing director

TRANSLATION

- (14) Appendix to
- (15) **EU-Type Examination Certificate**
ZP/B096/21
- (16) 16.1 Subject and type
Retractable type fall arrester
Type: ABS B-Lock

16.2 Description

The retractable type fall arrester of type ABS B-Lock (Fig. 1-3) is used to protect one person performing works that involve the risk of falls from a height. The fall arrester consists of a braking system with integrated energy absorber and a self-retractable lanyard.

The lanyard is a 25 mm wide black strap made of chemical fibres; there are three lengths available, 3.5 m, 9 m and 12 m. One end of the lanyard is equipped with an appropriate termination. At the other end of the lanyard an energy absorber with a connector including a swivel element is sewn. The enclosure of the fall arrester is made of plastic.

If used in vertical, horizontal or inclined position, the maximum user weight permitted is 140 kg.

Note:

The retractable type fall arrester of type ABS B-Lock is also suitable for the use in horizontal positions and a fall resulting from that over and edge with a maximum radius of max. $r = 0.5$ mm.



Fig. 1: Retractable type fall arrester, ABS B-Lock 3.5 m



Fig. 2: Retractable type fall arrester, ABS B-Lock 6 m



Fig. 3: F Retractable type fall arrester, ABS B-Lock 12 m

- (17) Report

PB 21-009, PB 21-010, PB 21-011, 2021-06-15